




USE OF HEPARANASE TO IDENTIFY AND ISOLATE ANTI-HEPARANASE COMPOUND**Publication number:** JP9504422 (T)**Publication date:** 1997-05-06**Inventor(s):****Applicant(s):****Classification:**

- international: C12N15/09; C07K14/47; C12N9/24; C12N9/88; C12N9/99; C12Q1/34; C12N15/09; C07K14/435; C12N9/24; C12N9/88; C12N9/99; C12Q1/34; (IPC1-7): C12N15/09; C07K14/47; C12N9/88; C12N9/99; C12Q1/34

- European: C07K14/47; C12N9/24; C12Q1/34

Application number: JP19940505884T 19940726

Priority number(s): WO1994US08207 19940726; US19930099866 19930729; US19930136117 19931013

Also published as: WO9504158 (A1) AU7368994 (A) EP0708838 (A1)

Abstract not available for JP 9504422 (T)

Abstract of corresponding document: **WO 9504158 (A1)**

Purified heparanase having activity of greater than 20 units/ μ g protein, preferably greater than 50 units heparanase activity per μ g protein, is described. The use of heparanase for screening for anti-heparanase compounds is also described. In addition, the use of the high potency heparanase to accelerate wound healing or its use as an immobilized heparanase filter connected to extracorporeal devices to degrade heparin and neutralize its anticoagulant properties during surgery is disclosed.

Data supplied from the **esp@cenet** database — Worldwide